

For When You Only Need An Air Compressor and Hydraulic Output Power!

Like its counterpart, the PowerFlex™ AH is equipped with a 40 CFM at 150 PSI rotary screw air compressor, but instead of a generator it is equipped with a hydraulic pump, providing 13 GPM and up to 3000 PSI with an integrated hydraulic reservoir. Tier 4 Final compliant, the PowerFlex™ AH is small enough to fit in a variety of load spaces.





SPECIFICATIONS	
Compressor Type	Rotary Screw
Capacity (CFM)	40 CFM
Air Pressure (PSI)	150 PSI
Hydraulic Flow*	Up to 13 GPM
Hydraulic Pressure*	Up to 3000 PSI
Engine Type	25 HP Kubota® Tier 4 Final
Drive System	Belt Driven
Fuel Type	Diesel
Fuel Capacity	Tied to Chassis or Remote Tank

PowerFlex** AH Unit Dimensions with fittings (In.): $47.6 L \times 21.0 W \times 33.4 H$ Dry Weight (Lbs.): 802





SPECIAL FEATURES

- · Small Compact Design
- Can Be Side-Mounted or Bed-Mounted
- Can Power a Separate Cab Climate Control System

AIR COMPRESSOR

- 40 CFM Rotary Screw
- · Belt-Driven Encapsulated Air End
- · Lifetime Warranty on Air End
- Integrated Inlet

HYDRAULICS

- Rated @ 10.5 RPM @ 2000 PSI and 8.5 RPM @ 3000 PSI
- · Variable Displacement Pump

CANOPY

- · Small Compact Design
- Powder-Coated, Galvanneal Sheet Metal Enclosure

REMOTE CONTROL PANEL

- Remote Control Panel
- Engine Start/Stop
- Engine Fault Lights
- · Hour Meter
- Compressor/Hydraulic ON/OFF Switch
- Speed Control Switch
- Compressor Fault Light

MAINTENANCE/SERVICEABILITY


- Hinged Top and Removable Front Panel for Easy Access
- Spin On Air-Oil Separator Element for Easy Maintenance


SAFETY EQUIPMENT


- · Low Engine Oil Shut Down
- · Alternator Failure Indicator
- · Service Access Door Shut Down
- · Engine Over Temp Shut Down
- Air Pressure Safety Relief Valve and Automatic Blow-Down On Shut Down
- High-Temperature and High-Pressure Compressor Shut Down
- · Oil Fill Plug Safety Relief
- Hydraulic Oil Pressure-Relief Valve

OPTIONS/ACCESSORIES

- · Air Reservoirs
- Aftercoolers
- Air Hoses
- Filter/Lubricator/Regulator (FLR)
- Hose Reels
- Moisture Separators
- Tool Oilers
- Air Tools
- Maintenance Kits
- Receptacles







REMOTE CONTROL PANEL

Vanair® reserves the right to make changes in engineering, design, and specifications, add improvements, or discontinue manufacturing at any time, without notice or obligation. Vanair®, the Vanair® logo and MOBILE POWER SOLUTIONS® are registered trademarks or trademarks of Vanair®, a Lincoln Electric Company, Michigan City, IN, USA. © 2025 All Rights Reserved.



800.526.8817 | vanair.com (n 🖶 🕦